

A FITTINGS Brass

Material: Dezincification-Resistant Brass,
CW 602N



Panel nut
Female Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| BN10 | 1/8" | |
| BN13 | 1/4" | |
| BN17 | 3/8" | |
| BN21 | 1/2" | |
| BN33 | 1" | |

Hose Barb
Male syl. Threads



| Art. no. | Threads | Ø | Price |
|----------|---------|--------|-------|
| GTS1003 | 1/8" | 1/8" | |
| GTS1006 | 1/8" | 1/4" | |
| GTS1008 | 1/8" | 5/16" | |
| GTS1009 | 1/8" | 3/8" | |
| GTS1013 | 1/8" | 1/2" | |
| GTS1303 | 1/4" | 1/8" | |
| GTS1306 | 1/4" | 1/4" | |
| GTS1308 | 1/4" | 5/16" | |
| GTS1309 | 1/4" | 3/8" | |
| GTS1313 | 1/4" | 1/2" | |
| GTS1703 | 3/8" | 1/8" | |
| GTS1706 | 3/8" | 1/4" | |
| GTS1708 | 3/8" | 5/16" | |
| GTS1709 | 3/8" | 3/8" | |
| GTS1713 | 3/8" | 1/2" | |
| GTS1716 | 3/8" | 5/8" | |
| GTS1719 | 3/8" | 3/4" | |
| GTS2106 | 1/2" | 1/4" | |
| GTS2108 | 1/2" | 5/16" | |
| GTS2109 | 1/2" | 3/8" | |
| GTS2113 | 1/2" | 1/2" | |
| GTS2116 | 1/2" | 5/8" | |
| GTS2119 | 1/2" | 3/4" | |
| GTS2609 | 3/4" | 3/8" | |
| GTS2613 | 3/4" | 1/2" | |
| GTS2619 | 3/4" | 3/4" | |
| GTS2625 | 3/4" | 1" | |
| GTS3313 | 1" | 1/2" | |
| GTS3316 | 1" | 5/8" | |
| GTS3319 | 1" | 3/4" | |
| GTS3325 | 1" | 1" | |
| GTS3332 | 1" | 1 1/4" | |
| GTS3338 | 1" | 1 1/2" | |
| GTS4225 | 1 1/4" | 1" | |
| GTS4232 | 1 1/4" | 1 1/4" | |
| GTS4238 | 1 1/4" | 1 1/2" | |
| GTS4250 | 1 1/4" | 2" | |
| GTS4832 | 1 1/2" | 1 1/4" | |
| GTS4838 | 1 1/2" | 1 1/2" | |
| GTS4850 | 1 1/2" | 2" | |
| GTS6050 | 2" | 2" | |
| GTS6063 | 2" | 2 1/2" | |
| GTS7563 | 2 1/2" | 2 1/2" | |

Hose Barb
Female Threads



| Art. no. | Dim. gj. | Ø | Price |
|----------|----------|-------|-------|
| GI1006 | 1/8" | 1/4" | |
| GI1008 | 1/8" | 5/16" | |
| GI1009 | 1/8" | 3/8" | |
| GI1306 | 1/4" | 1/4" | |
| GI1308 | 1/4" | 5/16" | |
| GI1309 | 1/4" | 3/8" | |
| GI1313 | 1/4" | 1/2" | |
| GI1706 | 3/8" | 1/4" | |
| GI1709 | 3/8" | 3/8" | |
| GI1713 | 3/8" | 1/2" | |
| GI1716 | 3/8" | 5/8" | |
| GI2106 | 1/2" | 1/4" | |
| GI2108 | 1/2" | 5/16" | |
| GI2109 | 1/2" | 3/8" | |
| GI2113 | 1/2" | 1/2" | |
| GI2116 | 1/2" | 5/8" | |
| GI2119 | 1/2" | 3/4" | |
| GI2616 | 3/4" | 5/8" | |
| GI2619 | 3/4" | 3/4" | |
| GI2625 | 3/4" | 1" | |
| GI3319 | 1" | 3/4" | |
| GI3325 | 1" | 1" | |

Hose Barb
Female Threads



| Art. no. | Dim. gj. | Ø | Price |
|----------|----------|--------|-------|
| GIV1306 | 1/4" | 1/4" | |
| GIV1709 | 3/8" | 3/8" | |
| GIV2109 | 1/2" | 3/8" | |
| GIV2113 | 1/2" | 1/2" | |
| GIV2609 | 3/4" | 3/8" | |
| GIV2613 | 3/4" | 1/2" | |
| GIV2619 | 3/4" | 3/4" | |
| GIV3313 | 1" | 1/2" | |
| GIV3319 | 1" | 3/4" | |
| GIV3325 | 1" | 1" | |
| GIV4232 | 1 1/4" | 1 1/4" | |
| GIV4838 | 1 1/2" | 1 1/2" | |
| GIV6050 | 2" | 2" | |



A FITTINGS Brass

HOSE BARB 45° Male Threads



| Art. no. | Dim. gj. | Ø | Price |
|----------|----------|--------|-------|
| GT452119 | 1/2" | 3/4" | |
| GT452625 | 3/4" | 1" | |
| GT453332 | 1" | 1 1/4" | |
| GT454238 | 1 1/4" | 1 1/2" | |

Hose Barb 90° Male Threads



| Art. no. | Dim. gj. | Ø | Price |
|----------|----------|--------|-------|
| GT902113 | 1/2" | 1/2" | |
| GT902119 | 1/2" | 3/4" | |
| GT902619 | 3/4" | 3/4" | |
| GT903319 | 1" | 3/4" | |
| GT903332 | 1" | 1 1/4" | |
| GT904832 | 1 1/2" | 1 1/4" | |
| GT904850 | 1 1/2" | 2" | |

SOCKET Female x Female Threads



| Art. no. | Dim. | Dim. | Price |
|----------|--------|--------|-------|
| MU10 | 1/8" | 1/8" | |
| MU13 | 1/4" | 1/4" | |
| MU17 | 3/8" | 3/8" | |
| MU21 | 1/2" | 1/2" | |
| MU21/13 | 1/2" | 1/4" | |
| MU21/17 | 1/2" | 3/8" | |
| MU26 | 3/4" | 3/4" | |
| MU26/21 | 3/4" | 1/2" | |
| MU33 | 1" | 1" | |
| MU33/21 | 1" | 1/2" | |
| MU33/26 | 1" | 3/4" | |
| MU42 | 1 1/4" | 1 1/4" | |
| MU42/33 | 1 1/4" | 1" | |
| MU48 | 1 1/2" | 1 1/2" | |
| MU48/42 | 1 1/2" | 1 1/4" | |
| MU60 | 2" | 2" | |
| MU75 | 2 1/2" | 2 1/2" | |
| MU88 | 3" | 3" | |
| MU113 | 4" | 4" | |

Reducing Bush Short Male x Female Threads



| Art. no. | Dim. U | Dim. I | Price |
|----------|--------|--------|-------|
| RK13/10 | 1/4" | 1/8" | |
| RK17/10 | 3/8" | 1/8" | |
| RK17/13 | 3/8" | 1/4" | |
| RK21/10 | 1/2" | 1/8" | |
| RK21/13 | 1/2" | 1/4" | |
| RK21/17 | 1/2" | 3/8" | |
| RK26/10 | 3/4" | 1/8" | |
| RK26/13 | 3/4" | 1/4" | |
| RK26/17 | 3/4" | 3/8" | |
| RK26/21 | 3/4" | 1/2" | |
| RK33/10 | 1" | 1/8" | |
| RK33/13 | 1" | 1/4" | |
| RK33/17 | 1" | 3/8" | |
| RK33/21 | 1" | 1/2" | |
| RK33/26 | 1" | 3/4" | |
| RK42/17 | 1 1/4" | 3/8" | |
| RK42/21 | 1 1/4" | 1/2" | |
| RK42/26 | 1 1/4" | 3/4" | |
| RK42/33 | 1 1/4" | 1" | |
| RK48/17 | 1 1/2" | 3/8" | |
| RK48/21 | 1 1/2" | 1/2" | |
| RK48/26 | 1 1/2" | 3/4" | |
| RK48/33 | 1 1/2" | 1" | |
| RK48/42 | 1 1/2" | 1 1/4" | |
| RK60/21 | 2" | 1/2" | |
| RK60/26 | 2" | 3/4" | |
| RK60/33 | 2" | 1" | |
| RK60/42 | 2" | 1 1/4" | |
| RK60/48 | 2" | 1 1/2" | |
| RK75/26 | 2 1/2" | 3/4" | |
| RK75/33 | 2 1/2" | 1" | |
| RK75/42 | 2 1/2" | 1 1/4" | |
| RK75/48 | 2 1/2" | 1 1/2" | |
| RK88/33 | 3" | 1" | |
| RK88/42 | 3" | 1 1/4" | |
| RK88/48 | 3" | 1 1/2" | |
| RK88/60 | 3" | 2" | |
| RK88/75 | 3" | 2 1/2" | |
| RK113/48 | 4" | 1 1/2" | |
| RK113/60 | 4" | 2" | |
| RK113/75 | 4" | 2 1/2" | |
| RK113/88 | 4" | 3" | |



A FITTINGS Brass

Reducing Bush Long
Female x Male Threads



| Art nr. | Dim. I | Dim. O | Price |
|---------|--------|--------|-------|
| RL10/10 | 1/8" | 1/8" | |
| RL13/10 | 1/4" | 1/8" | |
| RL13/13 | 1/4" | 1/4" | |
| RL17/10 | 3/8" | 1/8" | |
| RL17/13 | 3/8" | 1/4" | |
| RL17/17 | 3/8" | 3/8" | |
| RL21/10 | 1/2" | 1/8" | |
| RL21/13 | 1/2" | 1/4" | |
| RL21/17 | 1/2" | 3/8" | |
| RL21/21 | 1/2" | 1/2" | |
| RL26/13 | 3/4" | 1/4" | |
| RL26/17 | 3/4" | 3/8" | |
| RL26/21 | 3/4" | 1/2" | |
| RL26/26 | 3/4" | 3/4" | |
| RL33/17 | 1" | 3/8" | |
| RL33/21 | 1" | 1/2" | |
| RL33/26 | 1" | 3/4" | |
| RL33/33 | 1" | 1" | |
| RL42/17 | 1 1/4" | 3/8" | |
| RL42/21 | 1 1/4" | 1/2" | |
| RL42/26 | 1 1/4" | 3/4" | |
| RL42/33 | 1 1/4" | 1" | |
| RL42/42 | 1 1/4" | 1 1/4" | |
| RL48/21 | 1 1/2" | 1/2" | |
| RL48/26 | 1 1/2" | 3/4" | |
| RL48/33 | 1 1/2" | 1" | |
| RL48/42 | 1 1/2" | 1 1/4" | |
| RL48/48 | 1 1/2" | 1 1/2" | |
| RL60/33 | 2" | 1" | |
| RL60/42 | 2" | 1 1/4" | |
| RL60/48 | 2" | 1 1/2" | |
| RL60/60 | 2" | 2" | |
| RL75/60 | 2 1/2" | 2" | |
| RL75/75 | 2 1/2" | 2 1/2" | |

Plug 6-Hex
Female insex



| Art. no. | Dim. | Price |
|----------|------|-------|
| VK10 | 1/8" | |
| VK13 | 1/4" | |
| VK17 | 3/8" | |
| VK21 | 1/2" | |
| VK26 | 3/4" | |
| VK33 | 1" | |

TEE
Female Threads



| Art. no. | Dim. | Price |
|----------|--------|-------|
| TI10 | 1/8" | |
| TI13 | 1/4" | |
| TI17 | 3/8" | |
| TI21 | 1/2" | |
| TI26 | 3/4" | |
| TI33 | 1" | |
| TI42 | 1 1/4" | |
| TI48 | 1 1/2" | |
| TI60 | 2" | |
| TI75 | 2 1/2" | |

ELBOW
Male x Female
Threads



| Art. no. | Dim. | Dim. | Price |
|----------|--------|--------|-------|
| WAI10 | 1/8" | 1/8" | |
| WAI13 | 1/4" | 1/4" | |
| WAI17 | 3/8" | 3/8" | |
| WAI21 | 1/2" | 1/2" | |
| WAI26 | 3/4" | 3/4" | |
| WAI33 | 1" | 1" | |
| WAI42 | 1 1/4" | 1 1/4" | |
| WAI48 | 1 1/2" | 1 1/2" | |
| WAI60 | 2" | 2" | |
| WAI75 | 2 1/2" | 2 1/2" | |

ELBOW
Female Threads



| Art. no. | Dim. | Price |
|----------|--------|-------|
| WI10 | 1/8" | |
| WI13 | 1/4" | |
| WI17 | 3/8" | |
| WI21 | 1/2" | |
| WI26 | 3/4" | |
| WI33 | 1" | |
| WI42 | 1 1/4" | |
| WI48 | 1 1/2" | |
| WI60 | 2" | |
| WI75 | 2 1/2" | |



A FITTINGS Brass

**Panel outlet
with nut**



| Art. no. | Dimensjon | Price |
|----------|-----------|-------|
| BU13/40 | 1/4"x40 | |
| BU17/45 | 3/8"x45 | |
| BU17/60 | 3/8"/60 | |
| BU21/50 | 1/2"x50 | |
| BU21/70 | 1/2"x70 | |
| BU26/50 | 3/4"x50 | |
| BU26/75 | 3/4"x75 | |
| BU33/50 | 1"x50 | |
| BU33/75 | 1"x75 | |
| BU42/50 | 1 1/4"x50 | |
| BU48/50 | 1 1/2"x50 | |
| BU60/78 | 2"x7 | |
| BU75/90 | 2 1/2"x90 | |
| BU88/100 | 3"x100 | |

**Nipple Male x Male
Tapered Threads**



| Art. no. | Dim. | Dim. | Price |
|-----------|--------|--------|-------|
| DNS1010 | 1/8" | 1/8" | |
| DNS1310 | 1/4" | 1/8" | |
| DNS1313 | 1/4" | 1/4" | |
| DNS1710 | 3/8" | 1/8" | |
| DNS1713 | 3/8" | 1/4" | |
| DNS1717 | 3/8" | 3/8" | |
| DNS2110 | 1/2" | 1/8" | |
| DNS2113 | 1/2" | 1/4" | |
| DNS2117 | 1/2" | 3/8" | |
| DNS2121 | 1/2" | 1/2" | |
| DNS2610 | 3/4" | 1/8" | |
| DNS2613 | 3/4" | 1/4" | |
| DNS2617 | 3/4" | 3/8" | |
| DNS2621 | 3/4" | 1/2" | |
| DNS2626 | 3/4" | 3/4" | |
| DNS3313 | 1" | 1/4" | |
| DNS3317 | 1" | 3/8" | |
| DNS3321 | 1" | 1/2" | |
| DNS3326 | 1" | 3/4" | |
| DNS3333 | 1" | 1" | |
| DNS4221 | 1 1/4" | 1/2" | |
| DNS4226 | 1 1/4" | 3/4" | |
| DNS4233 | 1 1/4" | 1" | |
| DNS4242 | 1 1/4" | 1 1/4" | |
| DNS4817 | 1 1/2" | 3/8" | |
| DNS4821 | 1 1/2" | 1/2" | |
| DNS4826 | 1 1/2" | 3/4" | |
| DNS4833 | 1 1/2" | 1" | |
| DNS4842 | 1 1/2" | 1 1/4" | |
| DNS4848 | 1 1/2" | 1 1/2" | |
| DNS5514 | 1" | 3/8" | |
| DNS6021 | 2" | 1/2" | |
| DNS6026 | 2" | 3/4" | |
| DNS6033 | 2" | 1" | |
| DNS6042 | 2" | 1 1/4" | |
| DNS6048 | 2" | 1 1/2" | |
| DNS6060 | 2" | 2" | |
| DNS7542 | 2 1/2" | 1 1/4" | |
| DNS7548 | 2 1/2" | 1 1/2" | |
| DNS7560 | 2 1/2" | 2" | |
| DNS7575 | 2 1/2" | 2 1/2" | |
| DNS8848 | 3" | 1 1/2" | |
| DNS8860 | 3" | 2" | |
| DNS8888 | 3" | 3" | |
| DNS114114 | 4" | 4" | |

Hose Repairer




| Art. no. | Dim. | Ømm | Price |
|----------|--------|--------|-------|
| DS06 | 1/4" | 1/4" | |
| DS08 | 5/16" | 5/16" | |
| DS09 | 3/8" | 3/8" | |
| DS13 | 1/2" | 1/2" | |
| DS1309 | 1/2" | 3/8" | |
| DS16 | 5/8" | 5/8" | |
| DS1609 | 5/8" | 3/8" | |
| DS1613 | 5/8" | 1/2" | |
| DS19 | 3/4" | 3/4" | |
| DS1913 | 3/4" | 1/2" | |
| DS25 | 1" | 1" | |
| DS32 | 1 1/4" | 1 1/4" | |

**Plug 4
Male Threads**



| Art. no. | Dim. | Price |
|----------|--------|-------|
| P10 | 1/8" | |
| P13 | 1/4" | |
| P17 | 3/8" | |
| P21 | 1/2" | |
| P26 | 3/4" | |
| P33 | 1" | |
| P42 | 1 1/4" | |
| P48 | 1 1/2" | |
| P60 | 2" | |
| P75 | 2 1/2" | |
| P88 | 3" | |



H FITTINGS Nickel Plated Brass

Material: Brass Nickel Plated CW 614N/CW 617N Temperature: -10°C to +80°C
 Pressure: Max 60 bar

**Nipple Male x Male
Parallel Threads**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q20101 | M5 | M5 | |
| Q20302 | M5 | 1/8" | |
| Q20102 | 1/8" | 1/8" | |
| Q20303 | 1/8" | 1/4" | |
| Q20304 | 1/8" | 3/8" | |
| Q20103 | 1/4" | 1/4" | |
| Q20305 | 1/4" | 3/8" | |
| Q20306 | 1/4" | 1/2" | |
| Q20104 | 3/8" | 3/8" | |
| Q20307 | 3/8" | 1/2" | |
| Q20105 | 1/2" | 1/2" | |
| Q20106 | 3/4" | 3/4" | |
| Q20109 | 1" | 3/4" | |
| Q20107 | 1" | 1" | |

**Socket
Female x Female**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q30001 | M5 | M5 | |
| Q30002 | 1/8" | 1/8" | |
| Q30003 | 1/4" | 1/4" | |
| Q30004 | 3/8" | 3/8" | |
| Q30005 | 1/2" | 1/2" | |
| Q30006 | 3/4" | 3/4" | |
| Q30007 | 1" | 1" | |

**Reduction Short
Tapered Threads**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q20801 | 1/4" | 1/8" | |
| Q20810 | 1/4" | 3/8" | |
| Q20802 | 3/8" | 1/8" | |
| Q20803 | 1/2" | 1/8" | |
| Q20804 | 3/8" | 1/4" | |
| Q20805 | 1/2" | 1/4" | |
| Q20806 | 1/2" | 3/8" | |
| Q20807 | 3/4" | 1/2" | |
| Q20808 | 1" | 1/2" | |
| Q20809 | 1" | 3/4" | |

**Nipple Male x Male
Tapered Threads**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q20002 | 1/8" | 1/8" | |
| Q20202 | 1/8" | 1/4" | |
| Q20203 | 1/8" | 3/8" | |
| Q20003 | 1/4" | 1/4" | |
| Q20205 | 1/4" | 3/8" | |
| Q20206 | 1/4" | 1/2" | |
| Q20004 | 3/8" | 3/8" | |
| Q20207 | 3/8" | 1/2" | |
| Q20005 | 1/2" | 1/2" | |
| Q20208 | 1/2" | 3/4" | |
| Q20006 | 3/4" | 3/4" | |
| Q20209 | 3/4" | 1" | |
| Q20007 | 1" | 1" | |

**Reduction Short
Parallel Threads**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q20902 | 1/8" | M5 | |
| Q20903 | 1/4" | 1/8" | |
| Q20904 | 3/8" | 1/8" | |
| Q20905 | 3/8" | 1/4" | |
| Q20906 | 1/2" | 1/8" | |
| Q20907 | 1/2" | 1/4" | |
| Q20908 | 1/2" | 3/8" | |
| Q20909 | 3/4" | 3/8" | |
| Q20910 | 3/4" | 1/2" | |
| Q20911 | 1" | 1/2" | |
| Q20912 | 1" | 3/4" | |



H FITTINGS Nickel Plated Brass

**Reduction Long
Tapered Threads**



| Art. no. | F. Dim. | M. Dim. | Price |
|----------|---------|---------|-------|
| Q20402 | 1/8" | 1/8" | |
| Q20403 | 1/8" | 1/4" | |
| Q20404 | 1/8" | 3/8" | |
| Q20405 | 1/4" | 1/4" | |
| Q20406 | 1/4" | 3/8" | |
| Q20407 | 1/4" | 1/2" | |
| Q20408 | 3/8" | 3/8" | |
| Q20409 | 3/8" | 1/2" | |
| Q20410 | 1/2" | 1/2" | |
| Q20411 | 1/2" | 3/4" | |

**Plug
Male Threads**



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q30201 | M5 | |
| Q30202 | 1/8" | |
| Q30203 | 1/4" | |
| Q30204 | 3/8" | |
| Q30205 | 1/2" | |
| Q30206 | 3/4" | |
| Q30207 | 1" | |

**Reduction
Female Parallel
Threads**



| Art. no. | F. Dim. | M. Dim. | Price |
|----------|---------|---------|-------|
| Q20501 | M5 | 1/8" | |
| Q20502 | 1/8" | 1/8" | |
| Q20503 | 1/8" | 1/4" | |
| Q20504 | 1/8" | 3/8" | |
| Q20505 | 1/4" | 1/4" | |
| Q20506 | 1/4" | 3/8" | |
| Q20507 | 1/4" | 1/2" | |
| Q20508 | 3/8" | 3/8" | |
| Q20509 | 3/8" | 1/2" | |
| Q20510 | 1/2" | 1/2" | |
| Q20511 | 1/2" | 3/4" | |

**Plug
w/ O-ring
Male Threads**



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q30150 | M5 | |
| Q30152 | 1/8" | |
| Q30153 | 1/4" | |
| Q30154 | 3/8" | |
| Q30155 | 1/2" | |

**Elbow
Female Threads**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q50101 | M5 | M5 | |
| Q50102 | 1/8" | 1/8" | |
| Q50103 | 1/4" | 1/4" | |
| Q50104 | 3/8" | 3/8" | |
| Q50105 | 1/2" | 1/2" | |
| Q50106 | 3/4" | 3/4" | |
| Q50107 | 1" | 1" | |

**Reduction Socket
Female Threads**



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q30101 | M5 | 1/8" | |
| Q30102 | 1/8" | 1/4" | |
| Q30103 | 1/8" | 3/8" | |
| Q30104 | 1/8" | 1/2" | |
| Q30105 | 1/4" | 3/8" | |
| Q30106 | 1/4" | 1/2" | |
| Q30107 | 3/8" | 1/2" | |
| Q30108 | 1/2" | 3/4" | |



H FITTINGS Nickel Plated Brass

Elbow
Tapered Male x
Female Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q50201 | M5 | M5 | |
| Q50208 | 1/4" | 1/8" | |
| Q50202 | 1/8" | 1/8" | |
| Q50203 | 1/4" | 1/4" | |
| Q50204 | 3/8" | 3/8" | |
| Q50205 | 1/2" | 1/2" | |
| Q50206 | 3/4" | 3/4" | |
| Q50207 | 1" | 1" | |

Cross
Female Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q60202 | 1/8" | |
| Q60203 | 1/4" | |
| Q60204 | 3/8" | |
| Q60205 | 1/2" | |

Elbow
Tapered Male
Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q50001 | M5 | M5 | |
| Q50002 | 1/8" | 1/8" | |
| Q50008 | 1/4" | 1/8" | |
| Q50003 | 1/4" | 1/4" | |
| Q50004 | 3/8" | 3/8" | |
| Q50005 | 1/2" | 1/2" | |
| Q50006 | 3/4" | 3/4" | |
| Q50007 | 1" | 1" | |

Tee
Female Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q40001 | M5 | |
| Q40003 | 1/8" | |
| Q40004 | 1/4" | |
| Q40005 | 3/8" | |
| Q40006 | 1/2" | |
| Q40007 | 3/4" | |
| Q40008 | 1" | |

Tee
Male Tapered
Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q40103 | 1/8" | |
| Q40104 | 1/4" | |
| Q40105 | 3/8" | |
| Q40106 | 1/2" | |
| Q40107 | 3/4" | |
| Q40108 | 1" | |

Tee
Female x Male
Tapered Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q40401 | M5 | M5 | |
| Q40402 | 1/8" | 1/8" | |
| Q40403 | 1/4" | 1/4" | |
| Q40404 | 3/8" | 3/8" | |
| Q40405 | 1/2" | 1/2" | |
| Q40406 | 3/4" | 3/4" | |
| Q40407 | 1" | 1" | |

Tee
Male x Female
Tapered Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q40202 | 1/8" | 1/8" | |
| Q40203 | 1/4" | 1/4" | |
| Q40204 | 3/8" | 3/8" | |
| Q40205 | 1/2" | 1/2" | |
| Q40206 | 3/4" | 3/4" | |
| Q40207 | 1" | 1" | |

T-stykke
Female x Male
Tapered Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q40501 | M5 | M5 | |
| Q40502 | 1/8" | 1/8" | |
| Q40503 | 1/4" | 1/4" | |
| Q40504 | 3/8" | 3/8" | |
| Q40505 | 1/2" | 1/2" | |
| Q40506 | 3/4" | 3/4" | |
| Q40507 | 1" | 1" | |



H FITTINGS Nickel Plated Brass

Tee
Male x Female
Tapered Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q40302 | 1/8" | 1/8" | |
| Q40303 | 1/4" | 1/4" | |
| Q40304 | 3/8" | 3/8" | |
| Q40305 | 1/2" | 1/2" | |
| Q40306 | 3/4" | 3/4" | |
| Q40307 | 1" | 1" | |

Hose Barb
Parallel
Male Threads



| Art. no. | Dim. | Ø mm | Price |
|----------|------|------|-------|
| Q30454 | 1/8" | 7 | |
| Q30455 | 1/4" | 7 | |
| Q30456 | 1/8" | 8 | |
| Q30457 | 3/8" | 12 | |
| Q30458 | 1/2" | 12 | |
| Q30459 | 1/4" | 9 | |
| Q30460 | 1/8" | 9 | |
| Q30462 | 3/8" | 9 | |
| Q30461 | 1/4" | 12 | |

Cross
1 Male/3 Female
Tapered Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q60251 | 1/8" | 1/8" | |
| Q60252 | 1/4" | 1/4" | |
| Q60253 | 3/8" | 3/8" | |
| Q60254 | 1/2" | 1/2" | |

Reduction
Male / Female
Threads



| Art. no. | Dim. | L | Price |
|----------|------|-------|-------|
| Q20702 | 1/8" | 16 mm | |
| Q20703 | 1/8" | 36 mm | |
| Q20704 | 1/4" | 27 mm | |
| Q20705 | 1/4" | 43 mm | |

Hose Barb
Male Tapered
Threads



| Art. no. | Dim. | Ø mm | Price |
|----------|------|------|-------|
| Q30402 | 1/8" | 6 | |
| Q30403 | 1/4" | 6 | |
| Q30404 | 1/8" | 7 | |
| Q30405 | 1/4" | 7 | |
| Q30406 | 1/8" | 8 | |
| Q30407 | 1/4" | 8 | |
| Q30408 | 1/8" | 9 | |
| Q30409 | 1/4" | 9 | |
| Q30410 | 3/8" | 9 | |
| Q30411 | 1/2" | 9 | |
| Q30412 | 1/8" | 10 | |
| Q30413 | 1/4" | 10 | |
| Q30414 | 3/8" | 10 | |
| Q30415 | 1/2" | 10 | |
| Q30416 | 1/4" | 12 | |
| Q30417 | 3/8" | 12 | |
| Q30418 | 1/2" | 12 | |
| Q30419 | 3/8" | 14 | |
| Q30420 | 3/8" | 16 | |
| Q30421 | 1/2" | 14 | |
| Q30422 | 1/2" | 16 | |
| Q30426 | 1/2" | 17 | |
| Q30427 | 1/2" | 20 | |
| Q30428 | 3/4" | 20 | |
| Q30429 | 1" | 25 | |

Y
1x Tapere Male
2x Female
Threads



| Art. no. | Dim. | Dim. | Price |
|----------|------|------|-------|
| Q60002 | 1/8" | 1/8" | |
| Q60003 | 1/4" | 1/4" | |
| Q60004 | 3/8" | 3/8" | |
| Q60005 | 1/2" | 1/2" | |

Y
Female Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q60102 | 1/8" | |
| Q60103 | 1/4" | |
| Q60104 | 3/8" | |
| Q60105 | 1/2" | |



H FITTINGS Nickel Plated Brass

**Bulkhead
Female Threads**



| Art. no. | Dim. | MM | Price |
|----------|------|---------|-------|
| Q30601-1 | M5 | M10x1 | 13,00 |
| Q30602-1 | 1/8" | M16x1,5 | 22,00 |
| Q30603-1 | 1/4" | M20x1,5 | 41,00 |
| Q30604-1 | 3/8" | M26x1,5 | 66,00 |
| Q30605-1 | 1/2" | M28x1,5 | 76,00 |

**Silencer
Composite**



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q303112 | 1/8" | |
| Q303113 | 1/4" | |
| Q303114 | 3/8" | |
| Q303115 | 1/2" | |
| Q303116 | 3/4" | |
| Q303117 | 1" | |

**Manifold
aluminium**



| Art. no. | Dim. | Dim. | Price |
|----------|------|-------------|-------|
| Q60411 | 1/4" | 1/8"2 forb. | |
| Q60412 | 1/4" | 1/8"3 forb. | |
| Q60413 | 1/4" | 1/8"4 forb. | |
| Q60414 | 1/4" | 1/8"5 forb. | |
| Q60415 | 3/8" | 1/4"2 forb. | |
| Q60416 | 3/8" | 1/4"3 forb. | |
| Q60417 | 3/8" | 1/4"4 forb. | |
| Q60418 | 3/8" | 1/4"5 forb. | |

**Silencer
Brass/Sinter**



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q303032 | 1/8" | |
| Q303033 | 1/4" | |
| Q303034 | 3/8" | |
| Q303035 | 1/2" | |
| Q303036 | 3/4" | |
| Q303038 | M5 | |

**Manifold
aluminium**



| Art. no. | Dim. | Dim | Price |
|----------|------|----------|-------|
| Q61411 | 1/4" | 1/8" 2+2 | |
| Q61412 | 1/4" | 1/8" 3+3 | |
| Q61413 | 1/4" | 1/8" 4+4 | |
| Q61414 | 1/4" | 1/8" 5+5 | |
| QI61415 | 3/8" | 1/4" 2+2 | |
| Q61416 | 3/8" | 1/4" 3+3 | |
| Q61417 | 3/8" | 1/4" 4+4 | |
| QI61418 | 3/8" | 1/4" 5+5 | |

**Siencer
Stainless/Sinter**



| Art. no. | Dim. | Price |
|----------|------|-------|
| Q303162 | 1/8" | |
| Q303163 | 1/4" | |
| Q303164 | 3/8" | |
| Q303165 | 1/2" | |

**Manifold
aluminium 4 port**



| Art. no. | Dim. | Price |
|----------|------|--------|
| Q60402 | 1/8" | 32,00 |
| Q60403 | 1/4" | 63,00 |
| Q60404 | 3/8" | 99,00 |
| Q60405 | 1/2" | 110,00 |



G Stainless Steel Fitting

Material: AISI 316

Nipple
Male x Male
Threads Tapered



| Art. no. | Dim. | Dim. | Price |
|-----------|--------|--------|-------|
| DN1310E | 1/4" | 1/8" | |
| DN1710E | 3/8" | 1/8" | |
| DN1713E | 3/8" | 1/4" | |
| DN2113E | 1/2" | 1/4" | |
| DN2117E | 1/2" | 3/8" | |
| DN2617E | 3/4" | 3/8" | |
| DN2621E | 3/4" | 1/2" | |
| DN3321E | 1" | 1/2" | |
| DN3326E | 1" | 3/4" | |
| DN4221E | 1 1/4" | 1/2" | |
| DN4226E | 1 1/4" | 3/4" | |
| DN4233E | 1 1/4" | 1" | |
| DN4826E | 1 1/2" | 3/4" | |
| DN4833E | 1 1/2" | 1" | |
| DN4842E | 1 1/2" | 1 1/4" | |
| DN6033E | 2" | 1" | |
| DN6042E | 2" | 1 1/4" | |
| DN6048E | 2" | 1 1/2" | |
| DN1010E | 1/8" | 1/8" | |
| DN1313E | 1/4" | 1/4" | |
| DN1717E | 3/8" | 3/8" | |
| DN2121E | 1/2" | 1/2" | |
| DN2626E | 3/4" | 3/4" | |
| DN3333E | 1" | 1" | |
| DN4242E | 1 1/4" | 1 1/4" | |
| DN4848E | 1 1/2" | 1 1/2" | |
| DN6060E | 2" | 2" | |
| DN7575E | 2 1/2" | 2 1/2" | |
| DN8860E | 3" | 2" | |
| DN8888E | 3" | 3" | |
| DN114114E | 4" | 4" | |

Tee
Femalee
Threads



| Art. no. | Dim. | Price |
|----------|--------|-------|
| TI10E | 1/8" | |
| TI13E | 1/4" | |
| TI17E | 3/8" | |
| TI21E | 1/2" | |
| TI26E | 3/4" | |
| TI33E | 1" | |
| TI42E | 1 1/4" | |
| TI48E | 1 1/2" | |
| TI60E | 2" | |
| TI75E | 2 1/2" | |
| TI88E | 3" | |
| TI113E | 4" | |

Socket
Female x Female
Threads



| Art. no. | Dim. | Dim. | Price |
|----------|--------|--------|-------|
| MU10E | 1/8" | 1/8" | |
| MU13E | 1/4" | 1/4" | |
| MU17E | 3/8" | 3/8" | |
| MU21E | 1/2" | 1/2" | |
| MU26E | 3/4" | 3/4" | |
| MU33E | 1" | 1" | |
| MU42E | 1 1/4" | 1 1/4" | |
| MU48E | 1 1/2" | 1 1/2" | |
| MU60E | 2" | 2" | |
| MU75E | 2 1/2" | 2 1/2" | |
| MU88E | 3" | 3" | |
| MU113E | 4" | 4" | |

Elbow
Male x Female
Threads




| Art. no. | Dim. | Dim. | Price |
|----------|--------|--------|-------|
| WAI10E | 1/8" | 1/8" | |
| WAI13E | 1/4" | 1/4" | |
| WAI17E | 3/8" | 3/8" | |
| WAI21E | 1/2" | 1/2" | |
| WAI26E | 3/4" | 3/4" | |
| WAI33E | 1" | 1" | |
| WAI42E | 1 1/4" | 1 1/4" | |
| WAI48E | 1 1/2" | 1 1/2" | |
| WAI60E | 2" | 2" | |
| WAI75E | 2 1/2" | 2 1/2" | |
| WAI88E | 3" | 3" | |
| WAI113E | 4" | 4" | |

Elbow
90°
Female
Threads



| Art. no. | Dim. | Price |
|----------|--------|-------|
| WI10E | 1/8" | |
| WI13E | 1/4" | |
| WI17E | 3/8" | |
| WI21E | 1/2" | |
| WI26E | 3/4" | |
| WI33E | 1" | |
| WI42E | 1 1/4" | |
| WI48E | 1 1/2" | |
| WI60E | 2" | |
| WI75E | 2 1/2" | |
| WI88E | 3" | |
| WI113E | 4" | |



G Stainless Steel Fitting

Reduction
Male x Female
Threads Tapered



| Art. no. | Dim. | Dim. | Price |
|----------|--------|--------|-------|
| RK13/10E | 1/4" | 1/8" | |
| RK17/10E | 3/8" | 1/8" | |
| RK17/13E | 3/8" | 1/4" | |
| RK21/13E | 1/2" | 1/4" | |
| RK21/17E | 1/2" | 3/8" | |
| RK26/17E | 3/4" | 3/8" | |
| RK26/21E | 3/4" | 1/2" | |
| RK33/17E | 1" | 3/8" | |
| RK33/21E | 1" | 1/2" | |
| RK33/26E | 1" | 3/4" | |
| RK42/33E | 1 1/4" | 1" | |
| RK48/26E | 1 1/2" | 3/4" | |
| RK48/33E | 1 1/2" | 1" | |
| RK48/42E | 1 1/2" | 1 1/4" | |
| RK60/33E | 2" | 1" | |
| RK60/42E | 2" | 1 1/4" | |
| RK60/48E | 2" | 1 1/2" | |
| RK75/48E | 2 1/2" | 1 1/2" | |
| RK75/60E | 2 1/2" | 2" | |
| RK88/60E | 3" | 2" | |
| RK88/75E | 3" | 2 1/2" | |

Elbow 45°
Female Threads



| Art. no. | Dim. | Price |
|----------|--------|-------|
| WI4510E | 1/8" | |
| WI4513E | 1/4" | |
| WI4517E | 3/8" | |
| WI4521E | 1/2" | |
| WI4526E | 3/4" | |
| WI4533E | 1" | |
| WI4542E | 1 1/4" | |
| WI4548E | 1 1/2" | |
| WI4560E | 2" | |

Cross
Female Threads



| Art. no. | Dim. | Price |
|----------|--------|-------|
| CR10E | 1/8" | |
| CR13E | 1/4" | |
| CR17E | 3/8" | |
| CR21E | 1/2" | |
| CR26E | 3/4" | |
| CR33E | 1" | |
| CR42E | 1 1/4" | |
| CR48E | 1 1/2" | |
| CR60E | 2" | |

Welding joint



| Art. no. | Dim. | Price |
|----------|--------|-------|
| WEL10E | 1/8" | |
| WEL13E | 1/4" | |
| WEL17E | 3/8" | |
| WEL21E | 1/2" | |
| WEL26E | 3/4" | |
| WEL33E | 1" | |
| WEL42E | 1 1/4" | |
| WEL48E | 1 1/2" | |
| WEL60E | 2" | |

Hose Barb
Male Threads



| Art. no. | Dim. | Dim. | Price |
|----------|--------|------|-------|
| GT1006E | 1/8" | 6mm | |
| GT1308E | 1/4" | 8mm | |
| GT1710E | 3/8" | 10mm | |
| GT2115E | 1/2" | 15mm | |
| GT2620E | 3/4" | 20mm | |
| GT3325E | 1" | 25mm | |
| GT4233E | 1 1/4" | 33mm | |
| GT4840E | 1 1/2" | 40mm | |
| GT6050E | 2" | 50mm | |

Plug Female



| Art. no. | Dim. | Price |
|----------|--------|-------|
| CAP10E | 1/8" | |
| CAP13E | 1/4" | |
| CAP17E | 3/8" | |
| CAP21E | 1/2" | |
| CAP26E | 3/4" | |
| CAP33E | 1" | |
| CAP42E | 1 1/4" | |
| CAP48E | 1 1/2" | |
| CAP60E | 2" | |
| CAP75E | 2 1/2" | |
| CAP88E | 3" | |
| CAP113E | 4" | |


Plug Male



| Art. no. | Dim. | Price |
|----------|--------|-------|
| PK10E | 1/8" | |
| PK13E | 1/4" | |
| PK17E | 3/8" | |
| PK21E | 1/2" | |
| PK26E | 3/4" | |
| PK33E | 1" | |
| PK42E | 1 1/4" | |
| PK48E | 1 1/2" | |
| PK60E | 2" | |
| PK75E | 2 1/2" | |
| PK88E | 3" | |
| PK113E | 4" | |




A BALL VALVES Brass



Nickel Plated Brass
Female x Female thread

| Art. no. | Dim | Pressure | (Valve / Handle) mm | Price |
|----------|--------|----------|---------------------|-------|
| K13 | 1/4" | 50 | 44,4 / 80 | |
| K17 | 3/8" | 50 | 44,4 / 80 | |
| K21 | 1/2" | 50 | 50,5 / 80 | |
| K26 | 3/4" | 40 | 57,5 / 113 | |
| K33 | 1" | 40 | 70,0 / 113 | |
| K42 | 1,1/4" | 30 | 80,5 / 137,5 | |
| K48 | 1,1/2" | 30 | 94,0 / 137,5 | |
| K60 | 2" | 25 | 112,5 / 157 | |
| K75 | 2,1/2" | 18 | 134,5 / 197 | |
| K88 | 3" | 16 | 157,0 / 250 | |
| K113 | 4" | 14 | 190,0 / 250 | |


Temp. range -20 °C to +150 °C



Nickel Plated Brass
Male x Female thread

| Art. no. | Dim | Pressure | (Valve / Handle) mm | Price |
|----------|--------|----------|---------------------|-------|
| KUI13 | 1/4" | 50 | 54 / 80 | |
| KUI17 | 3/8" | 50 | 54 / 80 | |
| KUI21 | 1/2" | 50 | 59 / 80 | |
| KUI26 | 3/4" | 40 | 65 / 113 | |
| KUI33 | 1" | 40 | 77 / 113 | |
| KUI42 | 1,1/4" | 30 | 91 / 138 | |
| KUI48 | 1,1/2" | 30 | 105 / 138 | |
| KUI60 | 2" | 25 | 122 / 158 | |


Temp. range -15 °C to +150 °C



Nickel Plated Brass
Male x Male thread


| Art. no. | Dim | Pressure | (Valve / Handle) mm | Price |
|----------|--------|----------|---------------------|-------|
| KU17 | 3/8" | 20 | 49 / 90 | |
| KU21 | 1/2" | 20 | 63 / 90 | |
| KU26 | 3/4" | 20 | 69 / 90 | |
| KU33 | 1" | 20 | 80 / 115 | |
| KI42 | 1,1/4" | 16 | 93 / 115 | |
| KU48 | 1,1/2" | 16 | 103 / 150 | |
| KU60 | 2" | 16 | 122 / 150 | |

Temp. range -30 °C to +150 °C



H = Handle lenght in mm

V = Valvehousing lenght in mm



A BALL VALVES AISI 316 and MINIBALL

Ball Valves with Full Flow

Kuleventil AISI 316

*With full flow
Female thread*



| Art. no. | Dim. | Pressure | Length mm | Price |
|----------|--------|----------|-----------|-------|
| K13E | 1/4" | 69,0 | 55 | |
| K17E | 3/8" | 69,0 | 55 | |
| K21E | 1/2" | 69,0 | 65 | |
| K26E | 3/4" | 69,0 | 77 | |
| K33E | 1" | 69,0 | 88 | |
| K42E | 1 1/4" | 69,0 | 102 | |
| K48E | 1 1/2" | 69,0 | 110 | |
| K60E | 2" | 69,0 | 126 | |

MINIBALL

*With full flow
Female thread*



| Art. no. | Dim. | Pressure | Length mm | Price |
|----------|------|----------|-----------|-------|
| KM13 | 1/4" | 15 | 40 | |
| KM17 | 3/8" | 15 | 40 | |
| KM21 | 1/2" | 15 | 46 | |
| KM26 | 3/4" | 15 | 54 | |

MINIBALL

*With full flow
Female/Male thread*



| Art. no. | Dim. | Pressure | Length mm | Price |
|----------|------|----------|-----------|-------|
| KM13IU | 1/4" | 15 | 40 | |
| KM17IU | 3/8" | 15 | 40 | |
| KM21IU | 1/2" | 15 | 46 | |
| KM26IU | 3/4" | 15 | 54 | |



C UNOLINK Modular System for Air

**Unoflow
Inletmodul**
Female Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| WDI21 | 1/2" | |

FLEXIBLE MODULAR SYSTEM FOR WALL-MOUNT WITH SWIVLEFUNCTION.

MATERIAL: NICKEL PLATED BRASS
MAX PRESSURE: 15 BAR

**Unoflow
Midmodul**
Female Threads



| Art. no | Dim. | Price |
|---------|------|-------|
| WDM21 | 1/2" | |

**Unoflow
Endmodul**
Female Threads



| Art. no. | Dim. | Price |
|----------|------|-------|
| WDE21 | 1/2" | |

